

EDGE-mini
INTILED



about the series

INTILED
EDGE-mini

Smaller and simpler




Ultrasmall luminaire for monochrome lighting of window openings.

One tiny lighting device that will provide even lighting of the entire width of the window opening with a beam of 8x180 degrees. The adjustment mechanism will allow the most flexible adjustment of the lighting to the specifics of a particular placement.



application

INTILED
EDGE-mini



application

INTILED
EDGE-mini




light effect

INTILED
EDGE-mini

light effect

illumination

brightness




specific features

INTILED
EDGE-mini


A wide beam providing uniform illumination of even deep window openings.

Flexibility of adjustment on site due to built-in adjustment mechanism.

Highest quality of light by latest generation LEDs with narrow binning (2 MacAdam steps).



characteristics



Wattage, W
3,1-4,2

Delivered lumen output, lm
28-110


Voltage
12 V DC

IP65 IK09 

Controls, protocols
on/off, PWM


Technologies (see page 9)
 

Lifespan
not less than 50 000 hours



Weight, kg
0,5


INTILED
EDGE-mini



Dimensions
are in mm


connection diagrams

INTILED
EDGE-mini




technologies

INTILED
EDGE-mini



Truelight™

A comprehensive system of solutions and approaches that enables flawless lighting effects regardless of the light colour, optic type, or fixture design.



Aquatech™

The multi-stage water protection technology used in all INTILED fixtures with IP66 to IP68 ratings.

projects

General Tutolmin's house
Saint Petersburg

INTILED
EDGE-mini



projects

Titul
Moscow



INTILED
EDGE-mini



projects

Museum Quarter
Pskov

INTILED
EDGE-mini



customization

INTILED
EDGE-mini

Connectors
IP68

Cable length
up to 5m

Voltage
24 V DC


Customized for a specific project
light color
wattage
luminous flux




mounting

INTILED
EDGE-mini


Step 1
Installing a mounting box into a niche



Step 2
Adjusting the luminaire



Step 3
Tightening the screws



INTILED

Light. Done right.